

DRAIN CARE

GENERAL INSTRUCTIONS

- Always wash your hands before handling your drain or supplies.
- Empty drain and record output twice daily and/or if drain is full.
- The drain should always be compressed. If it will not stay compressed call your doctor during office hours.
- If the drain is rapidly filling with blood, call your doctor immediately.
- If the drain falls out, put a dressing on the drain site and call your doctor during office hours.
- Never remove the tubing from the drain.
- Never rinse the drain bulb with water or any other fluid.
- Never submerge the drain or drain site under water
- When drain output is less than 30cc/24h call the office to make an appointment for drain removal.

HOW TO APPLY YOUR DRAIN DRESSING

- GENTLY REMOVE OLD DRESSING
- WIPE DRAIN SITE WITH ALCOHOL PAD
- PUT ANTIBIOTIC OINTMENT ON DRAIN SITE
- PLACE SLIT GAUZE UNDER DRAIN
- PLACE WHOLE GAUZE OVER DRAIN
- SECURE WITH PAPER TAPE

HOW TO EMPTY THE DRAIN

- REMOVE PLUG FROM DRAINAGE POUR SPOUT
- TURN BULB UPSIDE DOWN
- SOUEEZE FLUID INTO MEASURING CUP
- COMPRESS BULB (SQUEEZE IT FLAT)
- REPLACE PLUG INTO DRAINAGE POUR SPOUT
- RECORD OUTPUT IN ML ON YOUR DRAIN LOG
- FLUSH FLUID DOWN SINK OR TOILET

SUPPLIES


- [] 2X2" GAUZE
- [] ANTIBIOTIC OINTMENT
- [] PAPER TAPE
- []SCISSORS
- [] ALCOHOL SWABS
- [] MEASURING CUP
 - *ask nurse in recovery for measuring cup*















Nexcare gentle





RECORD OUTPUT IN ML OR CC

| DATE | TIME | DRAIN 1 | DRAIN 2 | DRAIN 3 | DRAIN 4 |
|---------------------------|--------------|---------|---------|---------|---------|
| | | | | | |
| | | | | | |
| | | | | | |
| OUTPUT TOTAL FO | DR 24 HOURS | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| OUTPUT TOTAL FO | DR 24 HOURS | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| OUTPUT TOTAL FO | OD 34 HOLIDS | | | | |
| OUTPUT TOTAL FO | JR 24 HOURS | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| OUTPUT TOTAL FOR 24 HOURS | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| OUTPUT TOTAL FO | OR 24 HOURS | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| OUTPUT TOTAL FOR 24 HOURS | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| OUTPUT TOTAL FO | DR 24 HOURS | | | | |
| | | | | | |